

Table of Contents

Provided by the Social Security Administration Section 508 Program

FDA Guide to Completing the Section 508 Evaluation Template.....	2
Section 508 Evaluation Template	5

FDA Guide to Completing the Section 508 Evaluation Template

Purpose:

This document provides Vendors with instructions on completing the Section 508 Evaluation Template for the Food and Drug Administration (FDA).

Background:

In 2001, the Information Technology Industry Council partnered with the General Services Administration to create a tool that would assist Federal contracting and procurement officials in fulfilling the market research requirements specified in Section 508. The result of their collaboration was the 508 Evaluation Template – a simple, web-based checklist that allows Vendors to document how their product **did** or **did not** meet the various Section 508 Requirements.

How the Section 508 Evaluation Template is organized:

This template is also known as the Voluntary Product Accessibility Template (VPAT)

The Section 508 Evaluation Template consists of a long series of tables. The initial one, the **Summary Table**, is used to provide a sense of your product’s **overall** “level-of-compliance” with the Section 508 Standards. Subsequently, the **Section 1194.xx Tables** contain the detailed subparagraphs that a Section 508 Standard is composed of. It is within these **Section 1194.xx Tables** that you will define in detail how your product **did** or **did not** comply with a specific requirement.

Understanding the columns

Use the following to understand the use of the three columns in the Section 508 Evaluation Template’s tables:

Summary Table

Column Name	Use
Criteria:	Describes Subparts B, C, and D of the Section 508 Standards.
Supporting Features:	To Enter information summarizing a product’s overall “level-of support” for the corresponding Subpart or, when appropriate, to specify Not Applicable .
Remarks/Explanations:	To Enter general comments regarding a product’s overall “level-of-compliance” with the Applicable Subpart.

Section 1194.xx Tables

Column Name	Use
Criteria:	Describes a specific guideline that a Subpart is composed of.
Supporting Features:	To Enter information summarizing a product’s “level-of-support” for a specific guideline.
Remarks/Explanations:	To Enter detailed information on how the product did or did not support a specific guideline.

What information do I enter in columns 2 and 3?

The **Supporting Features** and **Remarks/Explanations** columns are used to document exactly how a product **did** or **did not** meet the Section 508 Standards.

Supporting Features (second column on 508 Evaluation Template)	
Language	Description
Supports	Product FULLY meets the letter and intent of the Criteria.
Supports with Exceptions	Product does not ENTIRELY meet the letter and intent of the Criteria, but does provides some level of access.
Supports through Equivalent Facilitation	Product provides <i>alternative</i> methods to meet the intent of the Criteria.
Does not Support	Product does not meet the letter or intent of the Criteria.
Not Applicable	The Criteria does not apply to the product.

Remarks & Explanations (third column on 508 Evaluation Template)	
If 2 nd column states...	Then...
Supports	List exactly what features of the product do meet and describe how they are used to support the Criteria.
Supports with Exceptions	List exactly what features of the product do meet and describe how they are used to support the Criteria. AND List exactly what parts of the product do not meet and describe how they fail to support the Criteria.
Supports through Equivalent Facilitation	List exactly what <i>other</i> methods exist in the product and describe how they are used to support the Criteria.
Does not Support	Describe exactly how the product does not support the Criteria.
Not Applicable	Describe exactly why the criteria is not applicable to the product.

Typical Scenario for Completing a Section 508 Evaluation Template:

To begin the process of completing the Section 508 Evaluation Template, you should enlist the services of your company's technical specialist for the product being sought for purchase. The reason for this is because FDA requires a measure of technical detail in your responses. Once you've enlisted their assistance:

- 1) Determine which sections of the **Technical Standards (Subpart B-1194.21-26)** apply to your product. * Keep in mind that you **always** must complete the **Functional Performance Criteria (Subpart C – 1194.31)** and **Information, Documentation, and Support (Subpart D – 1194.41)** sections of the Section 508 Evaluation Template.
- 2) For each section that applies, determine if your product does or does not meet the specific Criteria elements.
- 3) Using the information found in the [How the Section 508 Evaluation Template is organized](#) section, document in the **Section 1194.xx Tables** exactly **how** your product **did** or **did not** meet the applicable standard.
 - If your product **supports** the standard, provide detailed examples of **what** accessibility features exist and **how** they are used to support the standard.
 - If your product **does not support** the standard, remember that Section 508 allows for products to meet the Access Board Standards in innovative, non-traditional ways. Your product can meet the standard by providing an innovative solution, as long as the feature performs in the same manner as it does for any other user.
 - If your product **does not** possess an **innovative, non-traditional way** of access to the standard, provide detailed examples of exactly **how** the product **did not** meet the standard.
- 4) Once you've documented in the **Section 1194.xx Tables** exactly how your product **did** or **did not** meet, return to the **Summary Table** and document the product's overall "level-of-compliance" in each of the applicable sections.
- 5) Post your final Section 508 Evaluation Template on your company's web site.
- 6) Please keep in mind that it is the Vendor's responsibility to maintain the integrity of the data on the Section 508 Evaluation Template. The information provided on your Section 508 Evaluation Template is considered to be a self-representation unless expressly affirmed otherwise.

*** Please Note:** Any **WEB** application being purchased by FDA also **requires** the Vendor to complete **Section 1194.21** of the Section 508 Evaluation Template in addition to **Sections 1194.22, 1194.31, and 1194.41**.

Contact: Sheilah Lynch, FDA IT Section 508 Coordinator for assistance.

Email: Sheilah.Lynch@fda.hhs.gov

Phone: 301-827-9372

Section 508 Evaluation Template

Date: 26 August 2008

Name of Product: *STATISTICA Single User*

Contact for more Information: Win Noren, Director Global Operations, StatSoft, Inc. 2300 East 14th Street, Tulsa, OK 74104; Email: wnoren@statsoft.com

Refer to the [ITIC Best Practices](#) for filling out the following form.

Summary Table		
<i>Criteria</i>	Supporting Features	Remarks and explanations
Section 1194.21 Software Applications and Operating Systems	Supports	
Section 1194.22 Web-based internet information and applications	NA	
Section 1194.23 Telecommunications Products	NA	
Section 1194.24 Video and Multi-media Products	NA	
Section 1194.25 Self-Contained, Closed Products	NA	
Section 1194.26 Desktop and Portable Computers	NA	
Section 1194.31 Functional Performance Criteria	Supports with exceptions	C, D and E are not applicable. <i>STATISTICA</i> does not require verbal or auditory capabilities.
Section 1194.41 Information, documentation, and support.	Supports	

[Return to the top of the page.](#)

Section 1194.21 Software Applications and Operating Systems		
* Refer to (http://www.access-board.gov/sec508/guide/1194.21.htm) for details on the guidelines listed below.		
<i>Criteria</i>	Supporting Features	Remarks and explanations
(a) When software is designed to run on a system that has a keyboard, product functions shall be executable from a keyboard where the function itself or the result of performing a function can be discerned textually.	Supports	<i>STATISTICA</i> is a graphical or data visualization software program. <i>STATISTICA</i> provides several flexible options to change the shortcut key for a menu command or assign a shortcut key to a menu command that doesn't have one by default.
(b) Applications shall not disrupt or disable activated features of other products that are identified as accessibility features, where those features are developed and documented according to industry standards. Applications also shall not disrupt or disable activated features of any operating system that are identified as accessibility features where the application programming interface for those accessibility features has been documented by the manufacturer of the operating system and is available to the product developer.	Supports	There are no known disabling features or functions found in <i>STATISTICA</i> that could disrupt or disable other software programs or operating system accessibility features.
(c) A well-defined on-screen indication of the	Supports	

<p>current focus shall be provided that moves among interactive interface elements as the input focus changes. The focus shall be programmatically exposed so that Assistive Technology can track focus and focus changes.</p>		<p>These features can be accessed through our graphical interface with minimal keyboard interaction. The active dialog/window will be displayed at the top of the application and the title bar will be highlighted to indicate the current focus. Practically all aspects of the default, interactive user interface can easily be adjusted in a variety of ways. For example, you can add to the default options, simplify them, or keep changing them as your needs change. Depending on the requirements of the tasks to be performed as well as your personal preferences for particular "modes" of work (and aesthetic choices), you can suppress all icons, toolbars, status bars, long menus, workbook facilities, drag-and-drop facilities, dynamic (automatic) links between graphs and data, 3D effects in tables, and 3D effects in dialog boxes; request "bare-bones" sequential output with simple, paper-white spreadsheets and monochrome graphs; and set the system to automatically maintain no more than one simple report at a time. To learn more please visit: http://www.statsoft.com/uniquefeatures/interfac.html</p>
<p>(d) Sufficient information about a user interface element including the identity, operation and state of the element shall be available to Assistive Technology. When an image represents a program element, the information conveyed by the image must also be available in text.</p>	<p>Supports</p>	<p>Textual information is available for nearly all of <i>STATISTICA</i>'s output and interface items.</p>
<p>(e) When bitmap images are used to identify controls, status indicators, or other programmatic elements, the meaning assigned to those images shall be consistent throughout an application's performance.</p>	<p>Supports</p>	<p>All icons and images are specifically designed to represent specific functions in <i>STATISTICA</i>.</p>
<p>(f) Textual information shall be provided through operating system functions for displaying text. The minimum information that shall be made available is text content, text input caret location, and text attributes.</p>	<p>Supports</p>	<p><i>STATISTICA</i> allows textual editing and viewing of many forms of output as well as user notes and comments all within the MS Windows standard.</p>
<p>(g) Applications shall not override user selected contrast and color selections and other individual display attributes.</p>	<p>Supports</p>	<p>A profile for a number of users for the program can be saved with their own individual colors and font sizes as well as screen size preferences.</p>
<p>(h) When animation is displayed, the information shall be displayable in at least one non-animated presentation mode at the option of the user.</p>	<p>Supports</p>	<p>Animations are not used as part of the user interface or output with the exception of one user initiated 3D plot rotation.</p>
<p>(i) Color coding shall not be used as the only means of conveying information, indicating an action, prompting a response, or distinguishing a visual element.</p>	<p>Supports</p>	<p>Numbers and textual naming are available for viewing data as well as color coding.</p>
<p>(j) When a product permits a user to adjust</p>	<p>Supported</p>	<p>A very large selection of colors with varying</p>

color and contrast settings, a variety of color selections capable of producing a range of contrast levels shall be provided.		degrees of contrast is available. In addition to large selections of predefined patterns (e.g., 32 predefined fill patterns), unique facilities are provided to custom-design two-color styles of line-patterns, point marker-patterns, and fill-patterns (e.g., a navy blue circle-shaped point-marker with a gray inside fill pattern or a dotted line consisting of red and blue dots). Specialized predefined (default) color palettes are provided for particular graph components. Moreover, flexible facilities are provided to custom-design new palettes using unlimited numbers of colors to take advantage of the full display resolution and all colors available on your computer system.
(k) Software shall not use flashing or blinking text, objects, or other elements having a flash or blink frequency greater than 2 Hz and lower than 55 Hz.	Supported	All objects are solid in nature and do not flash.
(l) When electronic forms are used, the form shall allow people using Assistive Technology to access the information, field elements, and functionality required for completion and submission of the form, including all directions and cues.	Supported	Registration forms are required for downloads of software and licensing information. All of these forms are compliant with a personal computer's assistive technology.

[Return to the top of the page.](#)

Section 1194.22 Web-based Internet information and applications

* Refer to (<http://www.access-board.gov/sec508/guide/1194.22.htm>) for details on the guidelines listed below.

Criteria	Supporting Features	Remarks and explanations
(a) A text equivalent for every non-text element shall be provided (e.g., via "alt", "longdesc", or in element content).		
(b) Equivalent alternatives for any multimedia presentation shall be synchronized with the presentation.		
(c) Web pages shall be designed so that all information conveyed with color is also available without color, for example from context or markup.		
(d) Documents shall be organized so they are readable without requiring an associated style sheet.		
(e) Redundant text links shall be provided for each active region of a server-side image map.		
(f) Client-side image maps shall be provided instead of server-side image maps except where the regions cannot be defined with an available geometric shape.		
(g) Row and column headers shall be identified for data tables.		

(h) Markup shall be used to associate data cells and header cells for data tables that have two or more logical levels of row or column headers.		
(i) Frames shall be titled with text that facilitates frame identification and navigation		
(j) Pages shall be designed to avoid causing the screen to flicker with a frequency greater than 2 Hz and lower than 55 Hz.		
(k) A text-only page, with equivalent information or functionality, shall be provided to make a web site comply with the provisions of this part, when compliance cannot be accomplished in any other way. The content of the text-only page shall be updated whenever the primary page changes.		
(l) When pages utilize scripting languages to display content, or to create interface elements, the information provided by the script shall be identified with functional text that can be read by Assistive Technology.		
(m) When a web page requires that an applet, plug-in or other application be present on the client system to interpret page content, the page must provide a link to a plug-in or applet that complies with 1194.21(a) through (l).		
(n) When electronic forms are designed to be completed on-line, the form shall allow people using Assistive Technology to access the information, field elements, and functionality required for completion and submission of the form, including all directions and cues.		
(o) A method shall be provided that permits users to skip repetitive navigation links.		
(p) When a timed response is required, the user shall be alerted and given sufficient time to indicate more time is required.		

Note to 1194.22: The Board interprets paragraphs (a) through (k) of this section as consistent with the following priority 1 Checkpoints of the Web Content Accessibility Guidelines 1.0 (WCAG 1.0) (May 5 1999) published by the Web Accessibility Initiative of the World Wide Web Consortium: Paragraph (a) - 1.1, (b) - 1.4, (c) - 2.1, (d) - 6.1, (e) - 1.2, (f) - 9.1, (g) - 5.1, (h) - 5.2, (i) - 12.1, (j) - 7.1, (k) - 11.4.

[Return to the top of the page.](#)

Section 1194.23 Telecommunications Products

* Refer to (<http://www.access-board.gov/sec508/guide/1194.23.htm>) for details on the guidelines listed below.

Criteria	Supporting Features	Remarks and explanations
(a) Telecommunications products or systems which provide a function allowing voice communication and which do not themselves provide a TTY functionality shall provide a standard non-acoustic connection point for TTYs. Microphones shall be capable of being turned on and off to allow the user to intermix speech with TTY use.		
(b) Telecommunications products which include voice communication functionality shall support all commonly used cross-manufacturer non-proprietary standard TTY signal protocols.		
(c) Voice mail, auto-attendant, and interactive voice response telecommunications systems shall be usable by TTY users with their TTYs.		
(d) Voice mail, messaging, auto-attendant, and interactive voice response telecommunications systems that require a response from a user within a time interval, shall give an alert when the time interval is about to run out, and shall provide sufficient time for the user to indicate more time is required.		
(e) Where provided, caller identification and similar telecommunications functions shall also be available for users of TTYs, and for users who cannot see displays.		
(f) For transmitted voice signals, telecommunications products shall provide a gain adjustable up to a minimum of 20 dB. For incremental volume control, at least one intermediate step of 12 dB of gain shall be provided.		
(g) If the telecommunications product allows a user to adjust the receive volume, a function shall be provided to automatically reset the volume to the default level after every use.		
(h) Where a telecommunications product delivers output by an audio transducer which is normally held up to the ear, a means for effective magnetic wireless coupling to hearing technologies shall be provided.		
(i) Interference to hearing technologies (including hearing aids, cochlear implants, and assistive listening devices) shall be reduced to the lowest possible level that allows a user of hearing technologies to utilize the telecommunications product.		
(j) Products that transmit or conduct information or communication, shall pass through cross-manufacturer, non-proprietary, industry-standard codes, translation protocols, formats or other information necessary to provide the information or communication in a usable format. Technologies which use encoding, signal compression, format transformation, or similar		

techniques shall not remove information needed for access or shall restore it upon delivery.		
(k)(1) Products which have mechanically operated controls or keys shall comply with the following: Controls and Keys shall be tactilely discernible without activating the controls or keys.		
(k)(2) Products which have mechanically operated controls or keys shall comply with the following: Controls and Keys shall be operable with one hand and shall not require tight grasping, pinching, twisting of the wrist. The force required to activate controls and keys shall be 5 lbs. (22.2N) maximum.		
(k)(3) Products which have mechanically operated controls or keys shall comply with the following: If key repeat is supported, the delay before repeat shall be adjustable to at least 2 seconds. Key repeat rate shall be adjustable to 2 seconds per character.		
(k)(4) Products which have mechanically operated controls or keys shall comply with the following: The status of all locking or toggle controls or keys shall be visually discernible, and discernible either through touch or sound.		

[Return to the top of the page.](#)

Section 1194.24 Video and Multi-media Products		
* Refer to (http://www.access-board.gov/sec508/guide/1194.24.htm) for details on the guidelines listed below.		
Criteria	Supporting Features	Remarks and explanations
(a) All analog television displays 13 inches and larger, and computer equipment that includes analog television receiver or display circuitry, shall be equipped with caption decoder circuitry which appropriately receives, decodes, and displays closed captions from broadcast, cable, videotape, and DVD signals. As soon as practicable, but not later than July 1, 2002, widescreen digital television (DTV) displays measuring at least 7.8 inches vertically, DTV sets with conventional displays measuring at least 13 inches vertically, and stand-alone DTV tuners, whether or not they are marketed with display screens, and computer equipment that includes DTV receiver or display circuitry, shall be equipped with caption decoder circuitry which appropriately receives, decodes, and displays closed captions from broadcast, cable, videotape, and DVD signals.		
(b) Television tuners, including tuner cards for use in computers, shall be equipped with secondary audio program playback circuitry.		
(c) All training and informational video and multimedia productions which support the agency's mission, regardless of format, that contain speech or other audio information necessary for the comprehension of the		

content, shall be open or closed captioned.		
(d) All training and informational video and multimedia productions which support the agency's mission, regardless of format, that contain visual information necessary for the comprehension of the content, shall be audio described.		
(e) Display or presentation of alternate text presentation or audio descriptions shall be user-selectable unless permanent.		

[Return to the top of the page.](#)

Section 1194.25 Self-Contained, Closed Products		
<i>* Refer to (http://www.access-board.gov/sec508/guide/1194.25.htm) for details on the guidelines listed below.</i>		
Criteria	Supporting Features	Remarks and explanations
(a) Self-contained products shall be usable by people with disabilities without requiring an end-user to attach Assistive Technology to the product. Personal headsets for private listening are not Assistive Technology.		
(b) When a timed response is required, the user shall be alerted and given sufficient time to indicate more time is required.		
(c) Where a product utilizes touchscreens or contact-sensitive controls, an input method shall be provided that complies with §1194.23 (k) (1) through (4).		
(d) When biometric forms of user identification or control are used, an alternative form of identification or activation, which does not require the user to possess particular biological characteristics, shall also be provided.		
(e) When products provide auditory output, the audio signal shall be provided at a standard signal level through an industry standard connector that will allow for private listening. The product must provide the ability to interrupt, pause, and restart the audio at anytime.		
(f) When products deliver voice output in a public area, incremental volume control shall be provided with output amplification up to a level of at least 65 dB. Where the ambient noise level of the environment is above 45 dB, a volume gain of at least 20 dB above the ambient level shall be user selectable. A function shall be provided to automatically reset the volume to the default level after every use.		
(g) Color coding shall not be used as the only means of conveying information, indicating an action, prompting a response, or distinguishing a visual element.		
(h) When a product permits a user to adjust color and contrast settings, a range of color selections capable of producing a variety of contrast levels shall be provided.		

(i) Products shall be designed to avoid causing the screen to flicker with a frequency greater than 2 Hz and lower than 55 Hz.		
(j) (1) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: The position of any operable control shall be determined with respect to a vertical plane, which is 48 inches in length, centered on the operable control, and at the maximum protrusion of the product within the 48 inch length on products which are freestanding, non-portable, and intended to be used in one location and which have operable controls.		
(j)(2) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: Where any operable control is 10 inches or less behind the reference plane, the height shall be 54 inches maximum and 15 inches minimum above the floor.		
(j)(3) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: Where any operable control is more than 10 inches and not more than 24 inches behind the reference plane, the height shall be 46 inches maximum and 15 inches minimum above the floor.		
(j)(4) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: Operable controls shall not be more than 24 inches behind the reference plane.		

[Return to the top of the page.](#)

Section 1194.26 Desktop and Portable Computers

* Refer to (<http://www.access-board.gov/sec508/guide/1194.26.htm>) for details on the guidelines listed below.

Criteria	Supporting Features	Remarks and explanations
(a) All mechanically operated controls and keys shall comply with §1194.23 (k) (1) through (4).		
(b) If a product utilizes touchscreens or touch-operated controls, an input method shall be provided that complies with §1194.23 (k) (1) through (4).		
(c) When biometric forms of user identification or control are used, an alternative form of identification or activation, which does not require the user to possess particular biological characteristics, shall also be provided.		
(d) Where provided, at least one of each type of expansion slots, ports and connectors shall comply with publicly available industry standards		

[Return to the top of the page.](#)

Section 1194.31 Functional Performance Criteria

Criteria	Supporting Features	Remarks and explanations
(a) At least one mode of operation and information retrieval that does not require user vision shall be provided, or support for Assistive Technology used by people who are blind or visually impaired shall be provided.	Supported	<i>STATISTICA</i> is a program used for analysis and pattern recognition. It is necessary for a person to have some sight in order to take full advantage of this powerful interface. Much of the output from an analysis can be placed into a textual format that can be translated by a text to audio translator.
(b) At least one mode of operation and information retrieval that does not require visual acuity greater than 20/70 shall be provided in audio and enlarged print output working together or independently, or support for Assistive Technology used by people who are visually impaired shall be provided.	Supported	As mentioned above, <i>STATISTICA</i> supports changes to the font size as well as colors and larger pixel patterns for the visually impaired.
(c) At least one mode of operation and information retrieval that does not require user hearing shall be provided, or support for Assistive Technology used by people who are deaf or hard of hearing shall be provided	Supported	There is no audio output in <i>STATISTICA</i> .
(d) Where audio information is important for the use of a product, at least one mode of operation and information retrieval shall be provided in an enhanced auditory fashion, or support for assistive hearing devices shall be provided.	NA	
(e) At least one mode of operation and information retrieval that does not require user speech shall be provided, or support for Assistive Technology used by people with disabilities shall be provided.	NA	Speech not required for our software

(f) At least one mode of operation and information retrieval that does not require fine motor control or simultaneous actions and that is operable with limited reach and strength shall be provided.	Supported	As mentioned above nearly all functions in <i>STATISTICA</i> are supported by the key board.
---	-----------	--

[Return to the top of the page.](#)

Section 1194.41 Information, documentation, and support.		
Criteria	Supporting Features	Remarks and explanations
(a) Product support documentation provided to end-users shall be made available in alternate formats upon request, at no additional charge.	Supported	Documentation is available in printed format, HTML, and PDF versions.
(b) End-users shall have access to a description of the accessibility and compatibility features of products in alternate formats or alternate methods upon request, at no additional charge.	Supported.	All features are documented on our manual.
(c) Support services for products shall accommodate the communication needs of end-users with disabilities.	Supported	E-mail, fax, telephone and any text to operator relay services are supported.

[Return to the top of the page.](#)