

WEBSTATISTICA VERSION 10 SINGLE SERVER INSTALLATION INSTRUCTIONS

Notes:

1. The installation of *WebSTATISTICA* entails two parts: a) a server installation, and b) workstation installations on each of the client machines. The program will not function if the client installations are not completed.
2. The server installation must be performed by a user with Administrator permissions to the server. The installation makes necessary changes to the system. Each client installation must be performed while logged on as an Administrator to the client computer. If you are prompted to reboot during the installation, you must log on with Administrator permissions after rebooting to complete the installation successfully.
3. If you have a previous version of *STATISTICA* on your computer, from the *Control Panel*, select *Add or Remove Programs* (Windows XP or Windows Server 2003) or *Programs and Features* (Windows Vista, Windows 7, or Windows Server 2008) to uninstall the program. Note that this method of removing *STATISTICA* will not affect or delete any data files created with previous installations. Once this is complete, proceed with the installation instructions.
4. The computer on which you are installing *WebSTATISTICA* will act as both the web server and the *STATISTICA* server. Install the web server software on that computer before beginning the installation procedure.

A web server may already exist on your server. If not, you may need to install Microsoft Internet Information Services (IIS) or its workstation equivalent, Personal Web Server (PWS).

- **Windows XP:** From *Control Panel* > *Add/Remove Programs*, click on the *Windows Components* tab and select *Internet Information Services*.
 - **Windows Vista and Windows 7:** From *Control Panel* > *Programs* > *Programs and Features* > *Turn Windows features* on or off, select the following features under Internet Information Services. From *Web Management Tools*, select *IIS Management Console*. From *Web Management Tools* > *IIS 6 Management Compatibility*, select *IIS Metabase and IIS 6 configuration compatibility*. From *World Wide Web Services* > *Application Development Features*, select *.NET Extensibility*, *ASP.NET*, *CGI*, *ISAPI Extensions*, and *ISAPI Filters*. From Security, select *Request Filtering* and *Windows Authentication*.
 - **Windows Server 2008:** From the *Server Manager* console, select *Roles* > *Web Server (IIS)* and then right-click to select *Add Role Services*. Select *Web Server (Installed)*. From *Application Development*, select *.NET Extensibility*, *ASP.NET*, *CGI*, *ISAPI Extensions*, and *ISAPI Filters*. From Security, select *Request Filtering* and *Windows Authentication*. From *Management Tools* > *IIS 6 Management Compatibility*, select *IIS 6 Metabase Compatibility* and *IIS Management Console*.
5. All workstations must have Microsoft Internet Explorer version 5.5 or later installed.
 6. The server must be installed to a Windows 2003 operating system or later.
 7. This software performs an automatic license registration online. Therefore, it is necessary to perform this installation on a computer that is connected to the Internet.

Server Installation

1. Ensure that no other applications are running.
2. Insert the *STATISTICA* DVD into the DVD drive. The installation process should begin automatically, and the *STATISTICA* installation dialog will be displayed. Click the *Install STATISTICA* button.

Note: If the DVD does not auto-start, browse the DVD and double-click on *CDSTART.exe*.

3. The *Welcome* dialog will be displayed. Click the *Next* button.
4. In the *Serial Number / CD Key* dialog, enter the Serial Number and 20-character CD Key in the appropriate boxes. Note: It is important to use the complete keyset as provided by StatSoft. Click the *Next* button to continue.
5. In the *Network ID / Install Code* dialog, enter the Net ID and Install Code. Click the *Next* button to continue.
6. In the *License Agreement* dialog, read the software license agreement. Select the *I accept the terms in the license agreement* option, and click the *Next* button if you agree with the terms and want to continue the installation process.
7. In the *Setup Type* dialog, select either the *Typical* or *Custom* option. *Typical* setup will install *STATISTICA* with the most common options; this is the recommended selection. *Custom* setup options are not covered in these instructions. If you have questions about the custom installation, contact StatSoft technical support. Click the *Next* button to continue.
8. In the *Start Menu Folder* dialog, enter the Start Menu folder name; the default name is *STATISTICA 10*. If you want to create a desktop shortcut to *STATISTICA*, select the check box. Click the *Next* button to continue.
9. In the *Register with StatSoft* dialog, enter the requested information in the appropriate boxes. This information is required to obtain the final licensing file for your software. Click the *Next* button to continue.
10. In the next dialog, select a method of software registration. Note that all *STATISTICA* products must be registered to obtain the full license. An Internet connection is needed to *Automatically register*, which is the recommended option. Click the *Next* button to continue.
11. A message will be displayed that prompts you to enable your wireless network adaptor. If your computer has a wireless network adaptor, please enable it until installation is complete in order to ensure proper licensing of the software. Once it is enabled, click the *OK* button.
12. *STATISTICA* will now attempt to register your software automatically. A dialog stating that your license has been successfully registered will be displayed. Click the *OK* button. If the registration process fails, a different dialog will be displayed indicating the failure. See notes below for additional details of failed registration.
13. *STATISTICA* is ready to install. To begin copying files to your machine, click the *Install* button. This may take several minutes.
14. You will briefly see a DOS command window that states that the *WebSTATISTICA* service was started successfully.
15. You should receive a message stating that the installation is complete. If a reboot is required, you may be prompted to reboot now or reboot later, depending on the components that are installed on your machine. If you are prompted to reboot, it will be necessary to reboot before you run *STATISTICA*. Click the *Finish* button to complete the installation process.
16. Create a share to the *STATISTICA* executable directory. This share needs to be available to all users who need to run the workstation installation. Users must have read and execute permissions to all files and subfolders.

Workstation Installation

If clients will be accessing *WebSTATISTICA* only through a browser, then no workstation installation is necessary. However, *WebSTATISTICA* includes a concurrent version of *STATISTICA*, which allows you to install the *STATISTICA* application to the local workstation, giving you the benefits of both the thick-client *STATISTICA* application and the thin-client *WebSTATISTICA* application. If you want to install *STATISTICA* on the Workstation, follow these instructions.

1. Ensure that no other applications are running.
2. Locate the share that you created (step 16 above) when the *STATISTICA Enterprise* program files were installed on the server. Double-click the *Setup.exe* file in the *Workstation Installer* subfolder.
3. The *Welcome* dialog will be displayed. Click the *Next* button.

4. In the *License Agreement* dialog, read the software license agreement. Select the *I accept the terms in the license agreement* option, and click the *Next* button if you agree with the terms and want to continue the installation process.
5. In the *Setup Type* dialog, select either the *Typical* or *Custom* option. *Typical* setup will install *STATISTICA* with the most common options; this is the recommended selection. *Custom* setup options are not covered in these instructions. If you have questions about the custom installation, contact StatSoft technical support. Click the *Next* button to continue.
6. If multimedia files are installed on the server, the *Install Multimedia* dialog will be displayed. Specify whether to install the multimedia files to your hard drive. These are videos providing overviews of various aspects of the *STATISTICA* system. It is recommended that you install them if you have sufficient disk space. Click the *Next* button to continue.
7. In the *Start Menu Folder* dialog, enter the Start Menu folder name; the default name is *STATISTICA 10*. If you want to create a desktop shortcut to *STATISTICA*, select the check box. Click the *Next* button to continue.
8. *STATISTICA* is ready to install on your workstation. To begin copying files to your machine, click the *Install* button.
9. Your system will be updated and program files will be installed. Click the *Finish* button on the *Setup Wizard Completed* dialog.

If you receive any Version Conflict messages, it is recommended that you keep your existing file (click the *Yes* button).

If the workstation's system files need to be updated, you must restart your computer to finish the installation process.

Server Uninstall

To uninstall the *STATISTICA* server, follow these steps:

1. Ensure that no other applications are running.
2. From the *Control Panel*, select *Add or Remove Programs* (Windows Server 2003) or *Programs and Features* (Windows Server 2008).
3. Scroll down through the list of programs and select *STATISTICA*. Click either the *Remove* button (Windows Server 2003) or the *Uninstall* button (Windows Server 2008) to uninstall the program.
4. A message will be displayed to confirm that you want to uninstall *STATISTICA* from your computer. Click the *Yes* button, and *STATISTICA* files will be uninstalled.
5. When the uninstall process is complete, click the *Yes* button if you want to notify the StatSoft registration server. This will allow you to install the server on another computer.

Workstation Uninstall

To uninstall a *STATISTICA workstation*, follow these steps:

1. Ensure that no other applications are running.
2. From the *Control Panel*, select *Add or Remove Programs* (Windows XP or Windows Server 2003) or *Programs and Features* (Windows Vista, Windows 7, or Windows Server 2008).
3. Scroll down through the list of programs and select *STATISTICA*. Click either the *Remove* button (Windows XP) or the *Uninstall* button (Windows Vista or Windows 7) to uninstall the program.

IIS

When installing over an existing *WebSTATISTICA* or *STATISTICA Enterprise Server* installation, some post-installer setup may be necessary for IIS. Open the *Internet Services Manager (Internet Information Services in XP)*. This is located in the *Administrative Tools* folder on Windows 2000 and XP. Navigate the tree on the left until you find “WebSTATISTICA”. Right-click on this item and select *Properties*. Select the *Home Directory* tab. Click the *Configuration* button toward the lower right of the dialog. Browse the extensions looking for the extension named “.php”. If found, ensure that it is using the PHP installed, e.g., C:\PHP\php4isapi.dll. If not found or not properly configured:

1. Click *Add* (or *Edit* if existing) and browse to the directory where you have PHP installed, e.g., C:\PHP\php4isapi.dll. Set the extension to “.php”.
2. Restart the IIS service (or your computer) to apply these settings.

User Accounts

WebSTATISTICA validates users based on groups defined on the *STATISTICA* Server computer. These groups are:

- SWS_USER
- SWS_DOWNLOADFILES
- SWS_UPLOADDATA
- SWS_UPLOADSCRIPTS
- SWS_BATCHABLE
- SWS_PORTAL
- SWS_PORTALINTERACTIVE
- SWS_ADMIN

The minimum requirement for authentication on the *WebSTATISTICA* Server is to be a member of the SWS_USER group.

Your installation procedure for *WebSTATISTICA* will attempt to create these groups for you automatically. If this was not successful, you can create these groups on the *STATISTICA* server using the *Administrative Tools* within the Windows 2000 or XP system. On Windows 2000 and XP, you can achieve this by opening the *Computer Management* dialog from the *Control Panel – Administrative Tools* menu. Navigate to the tree to find *Local Users and Groups*. In the *Groups* folder, create the groups listed above.

Next, add Users to these Groups. Add all *WebSTATISTICA* users to the SWS_USER group (*WebSTATISTICA* administrators as well as *WebSTATISTICA* users); then add the administrators to the SWS_ADMIN group, and so on. For customers using active directory, a Best Practice is to define global domain groups that correspond to the *WebSTATISTICA* groups. Then add the global domain group to the corresponding local groups on the *WebSTATISTICA* Server. For instance, you can define a global domain group called “GLOBAL_SWS_USER”, and add this global domain group to the local SWS_USER created during *WebSTATISTICA* install. Now you can control users of *WebSTATISTICA* by using *Active Directory* tools to add/remove users to/from the GLOBAL_SWS_USER group.

For more details, consult the *WebSTATISTICA Administrator’s Guide*.

Accessing the WebSTATISTICA Server

Start the Internet Explorer Browser (version 5.5 or later), and type in the web address. If you did not change the destination web directory during installation, the address will be <http://yourwebserver/WebSTATISTICA>.

Notes on failed registration

1. The software registration process can fail for several reasons including: exceeding the allowed number of installations for a serial number, lack of internet connection on the installed machine, incorrect serial number, or other technical difficulties.
2. If you want *STATISTICA* installed on an additional computer, contact StatSoft for information on our policy and additional pricing.
3. If some other issue has affected your registration, ensure that the computer is connected to the internet, and verify your serial number. Start *STATISTICA*. From the *Help* menu, select *Register*.
4. If the registration process still cannot be completed, follow the instructions in the *STATISTICA* start-up dialogs, or contact Technical Support at (918)749-1119 or info@statsoft.com.

Part Number 1210-WebSTATISTICA-INSTALL

U.S. Headquarters: StatSoft, Inc. • 2300 E. 14th St. • Tulsa, OK 74104 • USA • (918) 749-1119 • Fax: (918) 749-2217 • info@statsoft.com • www.statsoft.com

Australia: StatSoft Pacific Pty Ltd.
Brazil: StatSoft South America
Bulgaria: StatSoft Bulgaria Ltd.
Czech Rep.: StatSoft Czech Rep. s.r.o
China: StatSoft China

France: StatSoft France
Germany: StatSoft GmbH
Hungary: StatSoft Hungary Ltd.
India: StatSoft India Pvt. Ltd.
Israel: StatSoft Israel Ltd.

Italy: StatSoft Italia srl
Japan: StatSoft Japan Inc.
Korea: StatSoft Korea
Netherlands: StatSoft Benelux BV
Norway: StatSoft Norway AS

Poland: StatSoft Polska Sp. z.o.o.
Portugal: StatSoft Ibérica Lda
Russia: StatSoft Russia
Spain: StatSoft Ibérica Lda

S. Africa: StatSoft S. Africa (Pty) Ltd.
Sweden: StatSoft Scandinavia AB
Taiwan: StatSoft Taiwan
UK: StatSoft Ltd.