

STATISTICA 9.0A MSI SILENT INSTALLER INSTALLATION INSTRUCTIONS

Products Supported

32bit Single User installs can be deployed using the *STATISTICA* 9.0a MSI Installer silently.

The *STATISTICA* 9.0a silent install process does **not** support:

- 64bit
- Concurrent Network License (CNET)
- Concurrent Network License with Borrowing (BNET)
- *STATISTICA* Enterprise
- *WebSTATISTICA* and *MAS*
- CD Keys that require interactive registration during the install process, such as Domain Based Registration (DBR)

Operating Systems Supported

- Windows 2000 SP4, Windows XP, Windows 2003 Server, Windows Vista, Windows Server 2008

Prerequisites

Internet Explorer 5.5 or later must be installed prior to using the *STATISTICA* MSI Installer.

Running the MSI Installer

This section provides an overview of command line syntax for the MSI Installer: (1) User Interface Install Level, (2) Properties, (3) Installer Log File, and (4) Example silent install.

User Interface Install Level

You can control the amount of User Interface (UI) you see during the install process by using various command-line switches. UI options include:

<code>/qn</code>	Quiet mode, no user interface, can also be specified as <code>/quiet</code>
<code>/qr</code>	Reduced UI
<code>/qf</code>	Full UI. This is the default if no UI options specified
<code>/passive</code>	Unattended mode, only progress bar shows

Note for Vista and newer operating systems: If installing to Windows Vista, you will see an elevation prompt when the install execute sequence begins. When running the installer in completely silent mode (`/qn`), you must start the install from an elevated command prompt; otherwise the installer will fail because completely silent installs will not prompt for elevation.

Properties

Properties that include embedded spaces must be enclosed by double-quotes.

The following properties can be defined for installs:

Required Installation Codes:

<code>SERIALNUMBER</code>	StatSoft-supplied Serial number
<code>CDKEY</code>	StatSoft-supplied CDKEY
<code>INSTALLCODE</code>	StatSoft-supplied Install Code

Required User Registration information:

REG_FIRSTNAME	User First Name
REG_LASTNAME	User Last Name
REG_COMPANY	Company name
REG_TITLE	User Title
REG_ADDRESS	Address
REG_CITY	City
REG_COUNTRY	Country
REG_ZIP	Zip/Postal Code
REG_PHONE	Phone Number
REG_EMAIL	Email Address (needed for product registration)

Optional user registration information:

REG_STATE	State/Region
-----------	--------------

Optional Installation path:

INSTALLDIR	Installation directory; if not supplied, defaults to C:\Program Files\StatSoft\STATISTICA 9. Enterprise installations may want to install to a non-default path (e.g., E:\STATISTICA 9).
------------	---

Optional Installation options:

B_DESKTOP_SHORTCUT	Specifies whether a shortcut to <i>STATISTICA</i> should be placed on the "All Users" desktop. Possible values are 0 or 1.
--------------------	--

Installer Log File

For detailed debugging, you can enable MSI logging with the `/l* <logfile>` switch.

For example: `msiexec /i "D:\STATISTICA 9.0.231.9.msi" /qn /l* c:\install.log`

Example silent install

The single user silent install utilizes the user registration (REG_* properties) and key (CDKEY, INSTALLCODE, and SERIALNUMBER) properties. When performing a single user silent install, the installer will attempt to contact the StatSoft registration server to register your software electronically during the install. If automatic registration is not possible, a temporary 14-day license file will be created instead.

This example uses the `/qn` switch (a completely silent install) and specifies a desktop shortcut. Note that address information containing spaces are enclosed by double-quotes.

```
msiexec /i "D:\STATISTICA 9.0.231.9.msi" /qn B_DESKTOP_SHORTCUT=1
CDKEY=XXXXXXXXX INSTALLCODE=XXXXXXXX SERIALNUMBER=XXXXXXXX REG_FIRSTNAME=John
REG_LASTNAME=Doe REG_TITLE=Statistician REG_COMPANY="ACME Inc."
REG_ADDRESS="2300 E 14th St" REG_CITY=Tulsa REG_STATE=Oklahoma
REG_COUNTRY="United States" REG_ZIP=74104 REG_PHONE=918-749-1119
REG_EMAIL=user@company.com
```

Uninstalling

A previous installation can be uninstalled by using the following command-line:

```
msiexec /uninstall "D:\STATISTICA 9.0.231.9.msi"
```

The parameter can either specify the original MSI file, or the Product Code, which is a code associated with each release of *STATISTICA*. This code can be read from the registry by finding the *STATISTICA* Add/Remove program file entry from the registry key:

```
HKEY_LOCAL_MACHINE\Software\Microsoft\Windows\CurrentVersion\Uninstall
```

For example, here is the registry location of the Add/Remove program entry for 32bit *STATISTICA* 9.0a:

```
KEY_LOCAL_MACHINE\Software\Microsoft\Windows\CurrentVersion\Uninstall\{909b6a0e-bd44-5336-7cd4-63a08cfb9a6d}, where {909b6a0e-bd44-5336-7cd4-63a08cfb9a6d} represents the Product Code.
```

The syntax to uninstall that version using the Produce Code would be:

```
msiexec /uninstall {909b6a0e-bd44-5336-7cd4-63a08cfb9a6d}
```

Part Number 1009-SILENT-INSTALL

U.S. Headquarters: StatSoft, Inc. • 2300 E. 14th St. • Tulsa, OK 74104 • USA • (918) 749-1119 • Fax: (918) 749-2217 • info@statsoft.com • www.statsoft.com

Australia: StatSoft Pacific Pty Ltd.
Brazil: StatSoft South America
Bulgaria: StatSoft Bulgaria Ltd.
Czech Rep.: StatSoft Czech Rep. s.r.o
China: StatSoft China

France: StatSoft France
Germany: StatSoft GmbH
Hungary: StatSoft Hungary Ltd.
India: StatSoft India Pvt. Ltd.
Israel: StatSoft Israel Ltd.

Italy: StatSoft Italia srl
Japan: StatSoft Japan Inc.
Korea: StatSoft Korea
Netherlands: StatSoft Benelux BV
Norway: StatSoft Norway AS

Poland: StatSoft Polska Sp. z.o.o.
Portugal: StatSoft Ibérica Lda
Russia: StatSoft Russia
Spain: StatSoft Ibérica Lda

S. Africa: StatSoft S. Africa (Pty) Ltd.
Sweden: StatSoft Scandinavia AB
Taiwan: StatSoft Taiwan
UK: StatSoft Ltd.